



青岛华鼎进出口有限公司


Qingdao Huading Imp. & Exp. Co., Ltd.

Room 605, Building 3, (West) No. 178-2, Haier Road, Qingdao, Shandong, China

TEL: 0086-532-88588179 / 0086-532-88912335

HD3RGWS1210F INTRODUCTION

1. Product Figure





青岛华鼎进出口有限公司

Qingdao Huading Imp. & Exp. Co., Ltd.


Room 605, Building 3, (West) No. 178-2, Haier Road, Qingdao, Shandong, China

TEL: 0086-532-88588179 / 0086-532-88912335

2. Product Data Sheet


Specification:	1200×1000×150mm			
Load Capacity:	Static Load: 6T	Dynamic Load: 1.5T	Racking Load: 1T	
Unit Weight	21KG±0.5kg(Differ on thickness of steel tubes)			
Material	HDPE or PP			
Usage temperature	-25℃~40℃			
Color	According to customer demand			
Mark	Integrated printing			
	silk screen printing			
Structure characteristic:	Deck type	Open decks		
	Bottom type	3 runners bottom		
	Reinforced by steel tubes	Decks	4 pcs steel tubes	
		Bottom	4 pcs steel tubes	
	production process	Injection Molding, steel tubes assembled afterwards		

3. Specification




Fork Entry Size Chart:

Side of width:



Side of length:




4、 Product Feature:

- 1)、 Plastic pallets with 3 runners bottom are used for transportation and storage, especially in warehouse;
- 2)、 Reinforced by 8 pcs steel tubes crossed in decks and bottom, which make sure and increase load capacity;
- 3)、 4 ways, applicable for transposition by hand pallet trucks and forklift;
- 4)、 With irreplaceable advantages of wooden pallets : Moisture proof, mould proof, no nails, no thorns, no pests, flaky, recyclable, safety and health, etc.;
- 5)、 Pallets are made of HDPE, poisonless and harmless, have been widely used in food、 pharmaceutical、 storage and logistics industries;


5、 Advantages

- 1)、 8pcs reinforced crisscross steel tubes in top and bottom decks increase the load capacity of pallet;




Steel tubes schematic

2)、The built-in customized steel tubes with round corners guarantee pallets' stiffness and eliminate sharp corner stress, thus keep off damage to pallets from steel tubes;



3)、The four corners of the pallet have anti-collision ribs also play a fixed role to enhance the corner drop performance;



4)、The legs and fork entry which are easily damaged by impact are thickened and reinforced;

5)、Round and chamfered edge of entry design is more easier for accessing good, and can reduce the probability of forklift impact;




青岛华鼎进出口有限公司

Qingdao Huading Imp. & Exp. Co., Ltd.


Room 605, Building 3, (West) No. 178-2, Haier Road, Qingdao, Shandong, China

TEL: 0086-532-88588179 / 0086-532-88912335



6)、Designed grid decks are easy for dust and debris leakage and heat radiation, then comply with fire code;

7)、Rubber anti-skid blocks assembled at upper and bottom deck, they could stop sliding of cargoes on pallets and pallets on racks and ground, improve safety;



6.Others:

1)、Surface

Surface shall be level and smooth, no cracking and deformation, of unified hue

2)、color

No clear color deviation for same batch of cargo

3)、Test Standard:

GB/T 15234-94